





HINDALCO
EXTRUSIONS

ARCHITECTURAL PRODUCTS



WE MANUFACTURE MATERIALS THAT MAKE THE WORLD **GREENER - STRONGER - SMARTER**



C O N T E N T

Hindalco Extrusions	03
About Silvassa Plant	04
Capabilities of our Plants	05
Why Hindalco Architectural?	06
Major Applications	06
Advantage Aluminium	07

STANDARDS


Angle	09
Channel	10
Rectangular Tubes	11
Square Tubes	14


SLIDING WINDOWS

Sliding Window 18 mm - Economy	15
Sliding Window 18 mm - Standard	17
Sliding Window 18 mm - Premium	18
Sliding Window 18 mm - Ultra	19
Sliding Window 20 mm - Economy	20
Sliding Window 20 mm - Standard	21
Sliding Window 25 mm - Economy	22
Sliding Window 25 mm - Ultra	24
Sliding Window 25 mm - Prestige	26
Sliding Window 27 mm - Premium	28
Sliding Window 27 mm - Prestige	29
Sliding Window 29 mm - Prestige	31
Sliding Window 35 mm - Prestige	34
Sliding Window 37 mm - Prestige	35

CASEMENT WINDOWS

Casement Window 40 mm - Standard	37
Casement Window 40 mm - Prestige	38
Casement Window 50 mm - Prestige	40
Casement Window 52 mm - Standard	43






FACADE

Structural Glazing	44
Curtain Wall 55 mm	45
Curtain Wall 67 mm	46
Unitized Curtain Wall system	48
Door and Partitions	51
Doors and Door Frame	56
Glazing Clips	58
Door Closures	59
Louvers Profiles	62
Kitchen Profiles	63
Railing Profiles	64
Formwork Profiles	65
Miscellaneous Profiles	66



Hindalco Industries Limited, a prominent player in the Aluminium Extrusions industry, boasts an annual production capacity of 1,15,000 tons. The company is at the forefront of developing tailored solutions for a wide spectrum of industries, including automotive, building & construction, defence, aerospace, Hindalco Extrusions, manufactured from high-quality billets, provide the expertise and assurance of top-tier extrusion quality to fuel the growth to fuel the growth of these industries.

OUR STRENGTH





ABOUT SILVASSA PLANT:

Hindalco has made a major advancement by establishing a state-of-the-art extrusion plant in Silvassa, near Gujarat and Maharashtra. This new facility has an annual production capacity of 34,000 tons and is India's first fully automated plant. It ensures efficient production and high-quality output for various applications, along with value-added services.

Hindalco has also partnered with Phoenix Middle East for die manufacturing, to ensure precision and innovation in die design.

APPLICATIONS:

BUILDING & CONSTRUCTION

AUTOMOTIVE

CONSUMER GOODS

INDUSTRIAL GOODS

















OUR CAPABILITIES:


- ❖ The facility has **3 Extrusion Presses** of 7" (20 MN), 8" (26MN) and 10" (40MN), equipped with Italian technology.
- ❖ It features **India's first vertical powder coating line** and an **anodizing line** for 8 mtr. profiles.
- ❖ Top class testing systems and procedures to ensure **high-quality standards**.
- ❖ The **automated plant with ASRS** (Automatic Storage & Retrieval System) ensures efficient production and high-quality output.



Hindalco's Silvassa plant is a pioneer in India's aluminum extrusion industry. With cutting-edge technology, sustainable practices, and a commitment to quality, Hindalco is set to lead in serving both architectural and automotive applications.

CAPABILITIES OF OUR PLANTS

Plant Location	Renukoot										Alupuram			Kuppam			Silvassa			
	Press Force	11 MN	12 MN	14 MN	16 MN	25 MN	20 MN	22 MN	50 MN	11 MN	29 MN	22 MN	25 MN	20 MN	26 MN	40 MN				
Extrusion Presses	Container (inch)	6"	6"	6"	8"	8"	9"	9"	13.5"	6"	9"	8"	8"	7"	8"	10"				
Max. CCD (mm)	Hollow Profiles	60	80	80	100	120	150	150	350	80	150	190	190	175	195	460				
	Solid Profiles	150	150	150	210	210	234	234	425	152	267	190	190	200	225	480				
Alloy Range		1xxx, 2xxx, 3xxx, 4xxx, 5xxx, 6xxx, 7xxx, Special Alloys										1xxx, 3xxx, 6xxx, Special Alloys			6xxx, Special Alloys					
Surface Treatment		-										Powder Coating			Anodizing Powder Coating			Anodizing Vertical Powder Coating		
Fabrication Facility		CNC Machining, 4-Axis and 5-Axis VMCs, Precision Cutting, Chamfering Machine										-			CNC Machining, CNC Milling, Manual & Robotic Welding, Punching, Flaring, 5-Axis VMC			-		
Additional Capabilities		Billet Casting Solution Heat Treatment Furnace										Billet Casting Solution Heat Treatment Furnace			Thermal Break MIG Welding Lines Bright Nickel Silver Dip			-		
Industry Focus																				



WHY HINDALCO ARCHITECTURAL?

- ❖ India's only end to end integrated extrusion supplier ensuring best quality metal.
- ❖ India's best extrusions manufacturing plant with Italian technology.
- ❖ In-house Die manufacturing with technology collaboration with Phoenix Middle East.
- ❖ Pan India presence with manufacturing & distribution network for fast delivery.
- ❖ Extensive product capability with variety of Size, Surface finish, Thermal break, Fabrication.


MAJOR APPLICATIONS

- ❖ WINDOWS (SLIDING & CASEMENT) HAND RAILINGS/STAIRS/BALUSTERS
- ❖ WALL FACINGS
- ❖ EXPANDED GRILLS
- ❖ VENETIAN BLINDS & CURTAIN RAILS
- ❖ ALUMINIUM FORM WORK
- ❖ ROOFING STRUCTURAL
- ❖ MOSQUITO NET
- ❖ LOUVERS & SUN SCREENS
- ❖ ROLLING SHUTTERS
- ❖ DOORS
- ❖ PARTITIONS/SHOP FRONTS
- ❖ HARDWARE'S (TOWER BOLTS / ALDROPS / HINGES / DOOR HANDLES)
- ❖ CURTAIN WALLING/STRUCTURAL GLAZING
- ❖ FALSE CEILING
- ❖ NORTHLIGHT GLAZING
- ❖ EXHIBITION DISPLAY



Aluminium Vs uPVC - A comparison



FEATURES	ALUMINIUM	uPVC
STRENGTH	High – minimum UTS 185 mPa	Low – Minimum UTS 51 mPa
AESTHETICS	Limitless colours & and Wood finish textures	Limited colour options. fading, discolouration
TEMPERATURE STABILITY	Wide Stable 150 deg C down to sub zero	Limited range - Low range 60 to 20 deg C
FIRE RESISTANCE	Non-combustible- Does not catch fire	Flammable with toxic fumes
SOUND PROOFING	High - damping factor is 25.9	Very low - Damping factor is 1.8
THERMAL INSULATION	Subject to Glass area	Subject to Glass area
MAINTENANCE	Minimum - Easy to maintain & at low cost at site	High – Higher Maintenance cost as not possible at site
ENVIRONMENT FRIENDLINESS	Sustainable material. Endlessly recyclable	Harmful Chemicals emitted cause disposal problems
RESALE VALUE	100% recyclable and high resale value	Negligible resale value






ANGLE

ANGLES




SIL No	Size A (mm)	Size B (mm)	Thickness T (mm)	Weight (kg/m)
101481	1.50	12.70	12.70	0.092
101040	19.0	19.0	2.00	0.194
130264	25.0	25.0	1.50	0.197
101037	25.4	25.4	2.00	0.263
101038	25.4	25.4	3.00	0.386
101039	38.1	38.1	2.70	0.535
130206	95.0	25.0	3.00	0.947





CHANNEL



CHANNELS



SIL No	Size A (mm)	Size B (mm)	Thickness T (mm)	Weight (kg/m)
101043	9.0	15.0	1.00	0.099
101041	9.52	9.52	0.80	0.058
100042	12.7	12.7	0.80	0.078
130851	25.4	25.4	2.90	0.551
131067	30.2	50.8	2.50	0.925



RECTANGULAR TUBES




SIL No	Size A (mm)	Size B (mm)	Thickness T (mm)	Weight (kg/m)
150012	25.0	12.0	2.00	0.356
101252	35.0	15.0	1.80	0.451
150011	37.0	24.0	1.15	0.366
150007	37.0	24.0	1.00	0.318
150013	38.0	12.0	2.00	0.497
150015	38.0	25.0	1.50	0.486
150418	38.0	25.0	1.15	0.375
150001	38.1	25.4	2.00	0.644
150003	38.1	25.4	3.25	1.003
150391	40.0	20.0	2.00	0.605
150419	40.0	20.0	3.00	0.875
150002	50.0	12.0	2.00	0.626
150020	50.0	25.0	1.50	0.585
150016	50.0	25.0	3.00	1.121
150004	50.0	38.0	2.00	0.907
150392	50.0	20.0	2.00	0.713
150393	50.0	30.0	2.00	0.821
150370	50.0	38.0	1.40	0.644
150000	50.8	25.4	1.20	0.48
150010	50.8	25.4	1.60	0.631
150008	50.8	25.4	2.00	0.782
150009	50.8	38.1	3.25	1.451
150010	50.8	25.4	1.60	0.631
150304	50.8	25.4	1.80	0.706
150394	60.0	40.0	3.00	1.523
150395	60.0	40.0	4.00	1.987
150420	60.0	40.0	2.00	1.037



RECTANGULAR TUBES

SIL No	Size A (mm)	Size B (mm)	Thickness T (mm)	Weight (kg/m)
101500	63.0	37.0	1.20	0.635
101498	63.0	37.0	1.50	0.786
150369	63.0	38.0	1.40	0.742
150366	63.0	38.1	1.10	0.587
101497	63.5	38.1	2.00	1.054
150014	75.0	12.0	2.00	0.896
150381	75.0	12.0	1.50	0.68
150382	75.0	20.0	1.40	0.697
150367	75.0	25.0	1.20	0.632
150372	75.0	25.0	1.50	0.786
150371	75.0	38.0	1.40	0.833
150373	75.0	50.0	3.00	1.928
150017	76.0	25.0	2.00	1.045
150018	76.0	50.0	2.00	1.318
150019	76.2	25.4	3.04	1.573
150396	80.0	40.0	2.00	1.253
150397	80.0	40.0	4.00	2.419
150398	80.0	60.0	4.00	2.851
150423	80.0	60.0	4.00	2.907
150368	81.3	38.1	1.25	0.789
150368	81.3	38.1	1.25	0.789
101024	82.6	38.1	3.18	1.962
150376	100.0	12.0	1.40	0.826
150375	100.0	20.0	1.40	0.886
150374	100.0	25.0	1.40	0.924
150378	100.0	25.0	2.00	1.307
150377	100.0	25.0	3.00	1.928
150399	100.0	40.0	4.00	2.851
101489	100.0	50.0	1.60	1.268
150379	100.0	50.0	2.00	1.577
150380	100.0	50.0	3.00	2.333
150400	100.0	60.0	4.00	3.283

RECTANGULAR TUBES




SIL No	Size A (mm)	Size B (mm)	Thickness T (mm)	Weight (kg/m)
150402	100.0	75.0	1.50	1.393
150422	100.0	60.0	2.50	2.093
101499	101.5	44.5	1.80	1.386
150342	101.6	44.5	3.18	2.390
150383	125.0	25.0	2.00	1.577
150384	150.0	25.0	2.00	1.847
150401	150.0	30.0	2.50	2.363
101485	150.0	50.0	4.00	4.147
150403	150.0	75.0	2.00	2.387
150021	200.0	100.0	4.00	6.307
150385	200.0	25.0	3.00	3.548
150386	200.0	50.0	3.00	3.953
150387	200.0	75.0	3.00	4.358
150388	200.0	100.0	3.00	4.763
150421	250.0	75.0	3.00	5.168






SQUARE TUBES




SIL No	Size A (mm)	Thickness T (mm)	Weight (kg/m)
170288	20.0	2.00	0.389
170110	25.0	1.20	0.308
101490	25.0	2.00	0.308
150389	25.4	1.25	0.326
170001	25.4	2.00	0.506
170003	38.0	1.50	0.593
170004	38.1	2.00	0.782
170289	40.0	2.00	0.821
150390	50.0	1.20	0.632
170002	50.0	1.50	0.786
170006	50.0	1.60	0.836
170007	50.0	1.70	0.887
170275	50.0	2.00	1.036
170005	50.0	2.00	1.040
150363	50.0	2.00	1.361
170008	50.0	3.00	1.528
170000	50.8	1.40	0.749
170276	50.0	4.00	1.987
170290	60.0	2.00	1.253
101023	60.0	2.08	1.729
170277	60.0	4.00	2.422
170291	80.0	4.00	3.283
170264	90.0	2.00	1.864
170009	140.0	5.00	7.290
170287	150.0	3.00	4.762

SLIDING WINDOWS

18mm SERIES - Economy




Shutter Vertical




Section No.	Thickness (mm)	Weight kg/m
100001	1.10	0.404

Shutter Top / Bottom




Section No.	Thickness (mm)	Weight kg/m
100050	1.10	0.518

Shutter Top / Bottom




Section No.	Thickness (mm)	Weight kg/m
100002	1.10	0.404

Shutter Vertical




Section No.	Thickness (mm)	Weight kg/m
100049	1.10	0.524

Shutter Top / Bottom




Section No.	Thickness (mm)	Weight kg/m
100047	1.10	0.532

Interlock



Section No.	Thickness (mm)	Weight kg/m
100003	1.10	0.474

Interlock



Section No.	Thickness (mm)	Weight kg/m
100048	1.10	0.584






SLIDING WINDOWS


18mm SERIES - Economy

2 Track Top




Section No.	Thickness (mm)	Weight kg/m
100005	1.10	0.584

2 Track Bottom




Section No.	Thickness (mm)	Weight kg/m
100006	1.10	0.666

3 Track Top / Side



Section No.	Thickness (mm)	Weight kg/m
100007	1.10	0.784

3 Track Bottom




Section No.	Thickness (mm)	Weight kg/m
100008	1.10	0.905




SLIDING WINDOWS

18mm SERIES - Standard




3 Track Top / Side




Section No.	Thickness (mm)	Weight kg/m
101255	1.15	0.805

Shutter Top / Bottom




Section No.	Thickness (mm)	Weight kg/m
100934	1.20	0.519

Shutter Vertical




Section No.	Thickness (mm)	Weight kg/m
100935	1.20	0.467

Interlock




Section No.	Thickness (mm)	Weight kg/m
100936	1.20	0.571

2 Track Top




Section No.	Thickness (mm)	Weight kg/m
101253	1.25	0.635

2 Track Bottom



Section No.	Thickness (mm)	Weight kg/m
101254	1.25	0.716

3 Track Bottom



Section No.	Thickness (mm)	Weight kg/m
101256	1.25	0.970






SLIDING WINDOWS


18mm SERIES - Premium

Shutter Vertical (Handle)




Section No.	Thickness (mm)	Weight kg/m
100052	1.50	0.518

Interlock




Section No.	Thickness (mm)	Weight kg/m
100051	1.50	0.601

2 Track Top / Side




Section No.	Thickness (mm)	Weight kg/m
100054	1.50	0.735

2 Track Bottom




Section No.	Thickness (mm)	Weight kg/m
100053	1.50	0.831

3 Track Top / Side



Section No.	Thickness (mm)	Weight kg/m
100056	1.50	0.983

3 Track Bottom




Section No.	Thickness (mm)	Weight kg/m
100055	1.50	1.125




SLIDING WINDOWS

18mm SERIES - Ultra




Shutter Vertical




Section No.	Thickness (mm)	Weight kg/m
100059	2.00	0.678

Shutter Top / Bottom




Section No.	Thickness (mm)	Weight kg/m
100057	2.00	0.667

Interlock




Section No.	Thickness (mm)	Weight kg/m
100058	2.00	0.797

3 Track Top / Side



Section No.	Thickness (mm)	Weight kg/m
100061	2.00	1.200

3 Track Bottom



Section No.	Thickness (mm)	Weight kg/m
100060	2.00	1.366






SLIDING WINDOWS


20mm SERIES - Economy

Shutter Vertical




Section No.	Thickness (mm)	Weight kg/m
100931	0.74	0.249

Shutter Top / Bottom




Section No.	Thickness (mm)	Weight kg/m
100929	0.90	0.291

Interlock




Section No.	Thickness (mm)	Weight kg/m
100930	0.85	0.347

2 Track Top / Side




Section No.	Thickness (mm)	Weight kg/m
100925	0.90	0.503

2 Track Bottom




Section No.	Thickness (mm)	Weight kg/m
100926	0.90	0.573

3 Track Top / Side



Section No.	Thickness (mm)	Weight kg/m
100927	0.90	0.684


3 Track Bottom




Section No.	Thickness (mm)	Weight kg/m
100928	0.90	0.786

SLIDING WINDOWS

20mm SERIES - Standard




Shutter Vertical




Section No.	Thickness (mm)	Weight kg/m
101169	1.10	0.363

Shutter Top / Bottom




Section No.	Thickness (mm)	Weight kg/m
101159	1.20	0.378

Interlock




Section No.	Thickness (mm)	Weight kg/m
101166	1.50	0.612

Interlock




Section No.	Thickness (mm)	Weight kg/m
101170	1.50	0.484

3 Track Top / Side



Section No.	Thickness (mm)	Weight kg/m
101172	1.50	1.066

3 Track Bottom



Section No.	Thickness (mm)	Weight kg/m
101160	1.50	1.233






SLIDING WINDOWS


25mm SERIES - Economy

Shutter Vertical




Section No.	Thickness (mm)	Weight kg/m
101014	1.15	0.600

Shutter Middle




Section No.	Thickness (mm)	Weight kg/m
101015	1.15	0.622

Shutter Top / Bottom




Section No.	Thickness (mm)	Weight kg/m
101016	1.15	0.600

Shutter Vertical




Section No.	Thickness (mm)	Weight kg/m
100347	1.20	0.590

Shutter Top / Bottom




Section No.	Thickness (mm)	Weight kg/m
101050	1.20	0.601

Shutter Top / Bottom



Section No.	Thickness (mm)	Weight kg/m
100348	1.25	0.678


2 Track Bottom




Section No.	Thickness (mm)	Weight kg/m
100350	1.25	0.667

SLIDING WINDOWS

25mm SERIES - Economy




Interlock




Section No.	Thickness (mm)	Weight kg/m
100349	1.30	0.689

2 Track Top




Section No.	Thickness (mm)	Weight kg/m
100351	1.30	0.633

3 Track Bottom




Section No.	Thickness (mm)	Weight kg/m
100932	1.35	1.137

Shutter Vertical




Section No.	Thickness (mm)	Weight kg/m
101426	1.40	0.774

Shutter Top/bottom




Section No.	Thickness (mm)	Weight kg/m
101424	1.40	0.882

Interlock




Section No.	Thickness (mm)	Weight kg/m
101427	1.40	0.846

4 Track Top



Section No.	Thickness (mm)	Weight kg/m
100353	1.50	1.779

3 Track top



Section No.	Thickness (mm)	Weight kg/m
100352	1.60	1.044



SLIDING WINDOWS


25mm SERIES - Ultra

Shutter Vertical (Handle)




Section No.	Thickness (mm)	Weight kg/m
101423	2.00	1.037

Shutter Vertical (Handle)




Section No.	Thickness (mm)	Weight kg/m
101385	2.00	0.876

Shutter Top/bottom




Section No.	Thickness (mm)	Weight kg/m
101386	2.00	0.99

Interlock




Section No.	Thickness (mm)	Weight kg/m
101387	2.00	0.972

Interlock




Section No.	Thickness (mm)	Weight kg/m
101425	2.00	1.173

2 Track Top




Section No.	Thickness (mm)	Weight kg/m
101391	2.00	0.785

2 Track Bottom



Section No.	Thickness (mm)	Weight kg/m
101392	2.00	0.857


3 Track top




Section No.	Thickness (mm)	Weight kg/m
101388	2.00	1.217

SLIDING WINDOWS

25mm SERIES - Ultra




3 Track Bottom



Section No.	Thickness (mm)	Weight kg/m
101384	2.00	1.383

4 Track Bottom




Section No.	Thickness (mm)	Weight kg/m
100933	2.00	2.710






SLIDING WINDOWS


25mm SERIES - Prestige




Section No.	Thickness (mm)	Weight kg/m
101556	1.20	0.741




Section No.	Thickness (mm)	Weight kg/m
101557	1.20	0.975




Section No.	Thickness (mm)	Weight kg/m
101554	1.20	0.368




Section No.	Thickness (mm)	Weight kg/m
101559	1.20	0.461




Section No.	Thickness (mm)	Weight kg/m
101555	1.20	0.792



Section No.	Thickness (mm)	Weight kg/m
101553	1.20	1.0121





Section No.	Thickness (mm)	Weight kg/m
101558	1.20	1.238




Section No.	Thickness (mm)	Weight kg/m
101560	1.20	1.512

SLIDING WINDOWS


25mm SERIES - Prestige




Section No.	Thickness (mm)	Weight kg/m
101561	1.30	0.453



Section No.	Thickness (mm)	Weight kg/m
101562	1.40	0.574



Section No.	Thickness (mm)	Weight kg/m
101563	1.40	1.263






SLIDING WINDOWS


27mm SERIES - Premium

Shutter




Section No.	Thickness (mm)	Weight kg/m
100368	1.20	0.711

Shutter (SGU)




Section No.	Thickness (mm)	Weight kg/m
101047	1.20	0.716

2 Track




Section No.	Thickness (mm)	Weight kg/m
100366	1.20	0.725

2 Track




Section No.	Thickness (mm)	Weight kg/m
101044	1.20	1.125

3 Track




Section No.	Thickness (mm)	Weight kg/m
100367	1.20	1.172



Section No.	Thickness (mm)	Weight kg/m
100370	1.20	1.318


4 Track




Section No.	Thickness (mm)	Weight kg/m
101046	1.20	2.193

SLIDING WINDOWS

27mm SERIES - Prestige




Interlock Clip




Section No.	Thickness (mm)	Weight kg/m
100369	1.30	0.309

3 Track




Section No.	Thickness (mm)	Weight kg/m
101053	1.30	1.720

Shutter (DGU)




Section No.	Thickness (mm)	Weight kg/m
101052	1.40	0.754

2 Track




Section No.	Thickness (mm)	Weight kg/m
100084	1.40	1.276

3 Track




Section No.	Thickness (mm)	Weight kg/m
100086	1.40	1.831

3 Track



Section No.	Thickness (mm)	Weight kg/m
101045	1.40	1.599

4 Track



Section No.	Thickness (mm)	Weight kg/m
100083	1.40	2.524






SLIDING WINDOWS


27mm SERIES - Prestige

SGU




Section No.	Thickness (mm)	Weight kg/m
100085	1.50	0.850

SGU




Section No.	Thickness (mm)	Weight kg/m
100080	1.50	0.901

Shutter (SGU)




Section No.	Thickness (mm)	Weight kg/m
101048	1.50	0.901




Section No.	Thickness (mm)	Weight kg/m
101575	1.50	0.919

2 Track



Section No.	Thickness (mm)	Weight kg/m
100081	1.50	0.917

5 Track










Section No.	Thickness (mm)	Weight kg/m
100082	2.00	3.119



SLIDING WINDOWS


29mm SERIES - Prestige






SLIDING WINDOWS


29mm SERIES - Prestige




Section No.	Thickness (mm)	Weight kg/m
100487	1.52	0.747




Section No.	Thickness (mm)	Weight kg/m
100486	1.52	1.172



Section No.	Thickness (mm)	Weight kg/m
100484	1.52	1.433



Section No.	Thickness (mm)	Weight kg/m
100478	1.52	1.773





Section No.	Thickness (mm)	Weight kg/m
100482	1.80	0.199




SLIDING WINDOWS


29mm SERIES - Prestige




Section No.	Thickness (mm)	Weight kg/m
101223	1.20	0.759




Section No.	Thickness (mm)	Weight kg/m
101222	1.20	0.823




Section No.	Thickness (mm)	Weight kg/m
101224	1.20	0.912




Section No.	Thickness (mm)	Weight kg/m
101226	1.30	0.364




Section No.	Thickness (mm)	Weight kg/m
101225	1.30	0.533



Section No.	Thickness (mm)	Weight kg/m
101220	1.40	0.964



Section No.	Thickness (mm)	Weight kg/m
101221	1.50	1.713






SLIDING WINDOWS


35mm SERIES - Prestige

Shutter (DGU)




Section No.	Thickness (mm)	Weight kg/m
100094	1.80	1.326

Shutter (SGU)




Section No.	Thickness (mm)	Weight kg/m
100088	1.80	1.401

Shutter




Section No.	Thickness (mm)	Weight kg/m
101394	1.80	1.489

DGU Clip




Section No.	Thickness (mm)	Weight kg/m
100093	1.60	0.468

SGU Clip




Section No.	Thickness (mm)	Weight kg/m
100087	1.60	0.481

2 Track




Section No.	Thickness (mm)	Weight kg/m
100092	2.00	1.996

3 Track



Section No.	Thickness (mm)	Weight kg/m
100089	2.00	2.809


4 Track




Section No.	Thickness (mm)	Weight kg/m
100090	2.00	3.484

SLIDING WINDOWS

37mm SERIES - Prestige




Shutter Double Glass




Section No.	Thickness (mm)	Weight kg/m
100070	1.60	1.295

Shutter Single Glass




Section No.	Thickness (mm)	Weight kg/m
100066	1.60	1.364

Interlock




Section No.	Thickness (mm)	Weight kg/m
100067	1.60	0.692

2 Track




Section No.	Thickness (mm)	Weight kg/m
100065	1.60	1.840

Reinforcement




Section No.	Thickness (mm)	Weight kg/m
100068	1.60	0.722

Track Cap




Section No.	Thickness (mm)	Weight kg/m
101013	1.00	0.152



Section No.	Thickness (mm)	Weight kg/m
101011	1.40	1.770

2 Track




Section No.	Thickness (mm)	Weight kg/m
101576	1.80	1.978




SLIDING WINDOWS


37mm SERIES - Prestige



Section No.	Thickness (mm)	Weight kg/m
101012	1.40	2.574



Section No.	Thickness (mm)	Weight kg/m
100069	1.60	2.678




Section No.	Thickness (mm)	Weight kg/m
101574	1.78	2.912




CASEMENT WINDOWS

40mm SERIES - Standard




Clip




Section No.	Thickness (mm)	Weight kg/m
100076	1.00	0.199

Clip




Section No.	Thickness (mm)	Weight kg/m
100075	1.20	0.249

Outer Frame




Section No.	Thickness (mm)	Weight kg/m
101217	1.20	0.505

Mullion



Section No.	Thickness (mm)	Weight kg/m
101219	1.20	0.596

Frame



Section No.	Thickness (mm)	Weight kg/m
101218	1.20	0.623






CASEMENT WINDOWS


40mm SERIES - Prestige

Frame




Section No.	Thickness (mm)	Weight kg/m
100079	1.50	0.641

Outer Frame




Section No.	Thickness (mm)	Weight kg/m
101165	1.50	0.680

Outer Frame




Section No.	Thickness (mm)	Weight kg/m
100078	1.50	0.682

Mullion




Section No.	Thickness (mm)	Weight kg/m
100077	1.50	0.746

Outer Frame




Section No.	Thickness (mm)	Weight kg/m
100949	1.50	0.793

Frame




Section No.	Thickness (mm)	Weight kg/m
100950	1.50	0.896

Mullion



Section No.	Thickness (mm)	Weight kg/m
100948	1.50	0.899


Outer Frame




Section No.	Thickness (mm)	Weight kg/m
101168	1.50	0.997

CASEMENT WINDOWS

40mm SERIES - Prestige




Outer




Section No.	Thickness (mm)	Weight kg/m
101390	2.00	0.818

Mullion



Section No.	Thickness (mm)	Weight kg/m
101389	2.00	0.882

Frame



Section No.	Thickness (mm)	Weight kg/m
100947	2.00	1.227






CASEMENT WINDOWS


50mm SERIES - Prestige

Clip




Section No.	Thickness (mm)	Weight kg/m
100357	1.20	0.301

Clip




Section No.	Thickness (mm)	Weight kg/m
101049	1.20	0.259

Clip




Section No.	Thickness (mm)	Weight kg/m
101216	1.20	0.302

Clip




Section No.	Thickness	Weight Kg/M
101482	1.20	0.301

Clip




Section No.	Thickness	Weight Kg/M
101484	1.20	0.305

Mullion




Section No.	Thickness (mm)	Weight kg/m
100354	1.30	1.165



Section No.	Thickness	Weight Kg/M
101504	1.30	1.165


Mullion



Section No.	Thickness (mm)	Weight kg/m
101214	1.40	1.00

CASEMENT WINDOWS

50mm SERIES - Prestige



Mullion

Section No.	Thickness (mm)	Weight kg/m
101027	1.40	1.108

Outer Frame

Section No.	Thickness (mm)	Weight kg/m
101212	1.50	0.807

Section No.	Thickness	Weight Kg/M
101505	1.50	0.989

Outer Frame

Section No.	Thickness (mm)	Weight kg/m
100355	1.50	0.988

Mullion

Section No.	Thickness (mm)	Weight kg/m
101029	1.50	1.006

Outer Frame

Section No.	Thickness (mm)	Weight kg/m
101033	1.50	1.051

Mullion

Section No.	Thickness (mm)	Weight kg/m
101215	1.50	1.124









Mullion

Section No.	Thickness (mm)	Weight kg/m
100356	1.50	1.146




CASEMENT WINDOWS

50mm SERIES - Prestige




CASEMENT WINDOWS

52mm SERIES - Standard




Clip Dug




Section No.	Thickness (mm)	Weight kg/m
100072	1.20	0.281

Clip




Section No.	Thickness (mm)	Weight kg/m
100071	1.20	0.312

Outer Frame




Section No.	Thickness (mm)	Weight kg/m
100073	1.50	0.886


Mullion




Section No.	Thickness (mm)	Weight kg/m
100074	1.50	1.002




Section No.	Thickness	Weight Kg/M
101507	1.50	0.998



Section No.	Thickness	Weight Kg/M
101491	1.50	1.289



Section No.	Thickness (mm)	Weight kg/m
101174	1.50	1.284




Section No.	Thickness	Weight Kg/M
101492	1.50	1.284




STRUCTURAL GLAZING


STRUCTURAL GLAZING



Section No.	Thickness (mm)	Weight kg/m
101420	1.80	0.966



Section No.	Thickness (mm)	Weight kg/m
101421	1.80	1.258





Section No.	Thickness (mm)	Weight kg/m
101419	1.80	1.501




CURTAIN WALL


55mm SERIES




Section No.	Thickness (mm)	Weight kg/m
101022	1.50	0.342




Section No.	Thickness (mm)	Weight kg/m
101149	2.00	1.819




Section No.	Thickness (mm)	Weight kg/m
101018	2.00	2.439




Section No.	Thickness (mm)	Weight kg/m
101020	2.00	1.875



Section No.	Thickness (mm)	Weight kg/m
101021	3.00	0.514



Section No.	Thickness	Weight Kg/M
101487	3.00	2.988




Section No.	Thickness	Weight Kg/M
101509	3.00	3.329






CURTAIN WALL


67mm SERIES




Section No.	Thickness (mm)	Weight kg/m
100941	1.40	0.730




Section No.	Thickness (mm)	Weight kg/m
100945	1.50	0.586




Section No.	Thickness (mm)	Weight kg/m
101167	1.60	0.668




Section No.	Thickness (mm)	Weight kg/m
100940	1.60	0.686




Section No.	Thickness	Weight Kg/M
101502	1.60	2.237



Section No.	Thickness (mm)	Weight kg/m
101051	2.00	1.616





Section No.	Thickness (mm)	Weight kg/m
100944	2.50	0.229




Section No.	Thickness (mm)	Weight kg/m
100943	2.50	2.222

CURTAIN WALL


67mm SERIES




Section No.	Thickness (mm)	Weight kg/m
100942	2.50	2.614




Section No.	Thickness	Weight Kg/M
101501	2.00	2.237




Section No.	Thickness (mm)	Weight kg/m
100938	3.00	3.942



Section No.	Thickness (mm)	Weight kg/m
100946	3.00	4.678



Section No.	Thickness (mm)	Weight kg/m
100939	5.00	5.108




Section No.	Thickness (mm)	Weight kg/m
100937	5.00	5.884






UNITIZED CURTAIN WALL SYSTEM


SERIES




Section No.	Thickness (mm)	Weight kg/m
100036	1.30	0.268




Section No.	Thickness (mm)	Weight kg/m
100035	1.30	0.414




Section No.	Thickness (mm)	Weight kg/m
100037	1.60	1.704




Section No.	Thickness (mm)	Weight kg/m
100039	1.60	2.416




Section No.	Thickness (mm)	Weight kg/m
100039	1.60	2.416



Section No.	Thickness (mm)	Weight kg/m
100041	1.80	2.048












Section No.	Thickness (mm)	Weight kg/m
100852	2.00	0.442




Section No.	Thickness (mm)	Weight kg/m
100853	2.00	0.910

UNITIZED CURTAIN WALL SYSTEM


SERIES






UNITIZED CURTAIN WALL SYSTEM

SERIES



Section No.	Thickness (mm)	Weight kg/m
100038	2.20	2.657




Section No.	Thickness (mm)	Weight kg/m
100040	2.20	3.402




DOOR AND PARTITIONS

DOOR




Door Top (Langra)




Section No.	Thickness (mm)	Weight kg/m
100125	1.50	0.743

Door Top




Section No.	Thickness (mm)	Weight kg/m
100110	1.58	0.778

Door Frame




Section No.	Thickness (mm)	Weight kg/m
100122	1.80	1.186

Door Top (Langra)




Section No.	Thickness (mm)	Weight kg/m
100123	2.00	0.953

Door Top (Langra)




Section No.	Thickness (mm)	Weight kg/m
100124	2.00	1.176

Door Vertical



Section No.	Thickness (mm)	Weight kg/m
100148	2.50	1.292

Door Top




Section No.	Thickness (mm)	Weight kg/m
100111	3.00	1.355







DOOR AND PARTITIONS

PARTITIONS



DOUBLE - PARTITION

SIL No	Size A (mm)	Size B (mm)	Thickness T (mm)	Weight (kg/m)
100160	50.0	30.0	2.50	1.186
100161	50.5	25.5	1.10	0.570
100162	61.9	31.8	1.80	1.022
100163	61.9	36.5	1.20	0.768
100164	62.5	37.1	1.50	0.929
100165	63.5	38.0	1.50	0.978
100166	63.5	38.0	2.00	1.234
100167	63.5	38.0	2.50	1.429
100014	63.5	38.1	1.15	0.724
100169	76.0	38.0	2.00	1.369
100170	82.5	38.0	2.40	1.658
100171	86.7	44.5	3.00	2.114
100172	101.6	44.5	1.50	1.324
100173	101.6	44.5	2.00	1.701
100174	101.6	44.5	2.50	2.073
100175	101.6	44.5	3.00	2.434
100176	123.0	44.5	3.00	2.782
100177	150.0	44.5	3.00	3.226




SINGLE - PARTITION

SIL No	Size A (mm)	Size B (mm)	Thickness T (mm)	Weight (kg/m)
100160	50.0	30.0	2.50	1.186
100188	48.0	24.0	1.10	0.481
100189	61.9	36.5	1.20	0.698
100190	62.5	37.1	1.50	0.858
100191	63.5	38.0	1.35	0.812
100192	63.5	38.0	1.50	0.890
100193	63.5	38.0	2.00	1.146
100194	63.5	38.0	2.50	1.368
100012	63.5	38.1	1.15	0.672
100196	76.0	38.0	2.00	1.281
100197	82.5	38.0	1.60	1.107
100198	101.6	20.0	4.00	2.546
100199	101.6	44.5	1.50	1.244
100200	101.6	44.5	2.00	1.621
100201	101.6	44.5	2.50	1.992
100202	101.6	44.5	3.00	2.360
100203	101.6	44.5	3.18	2.486
100144	114.3	44.5	1.35	0.900
100204	123.0	44.5	3.00	2.704
100205	150.0	44.5	2.00	2.152
100206	150.0	44.5	3.00	3.151





DOOR AND PARTITIONS

PARTITIONS




MIDDLE - PARTITION

SIL No	Size A (mm)	Size B (mm)	Thickness T (mm)	Weight (kg/m)
100013	49.9	44.5	1.50	0.863
100179	49.9	44.5	2.00	1.086
100180	49.9	44.5	3.00	1.464
101171	50.0	44.4	1.50	0.842
100181	50.0	44.5	1.50	0.852
100182	50.0	45.0	2.50	1.295
100183	50.1	44.5	2.00	1.088
100207	83.5	44.5	1.50	1.136
100208	83.5	44.5	2.00	1.448
100209	83.5	44.5	3.00	2.060
100184	86.7	44.5	1.50	1.162
100185	86.7	44.5	2.00	1.485
100186	100.0	45.5	2.00	1.595
100187	150.0	44.5	3.00	3.143




CENTRE - PARTITION

SIL No	Size A (mm)	Size B (mm)	Thickness T (mm)	Weight (kg/m)
100011	47.6	44.5	1.50	0.784
100116	47.6	44.5	2.00	1.008
100117	47.6	44.5	3.00	1.413
100118	50.0	44.5	1.80	0.930
100119	83.5	44.5	1.50	1.075
100120	83.5	44.5	2.00	1.396
100121	83.5	44.5	3.00	2.022



GLAZING PATTI


SIL No	Size A (mm)	Size B (mm)	Thickness T (mm)	Weight (kg/m)
100158	44.0	3.0	1.50	0.254
100159	44.2	3.0	1.50	0.224






DOORS AND DOOR FRAME


DOORS AND DOOR FRAMES




Section No.	Thickness (mm)	Weight kg/m
101264	1.00	0.648




Section No.	Thickness (mm)	Weight kg/m
101263	1.00	0.651




Section No.	Thickness (mm)	Weight kg/m
101265	1.00	0.651




Section No.	Thickness (mm)	Weight kg/m
101036	1.20	0.515




Section No.	Thickness (mm)	Weight kg/m
101176	1.40	0.765



Section No.	Thickness	Weight Kg/M
101493	3.20	1.412











Section No.	Thickness (mm)	Weight kg/m
101266	1.50	0.711




Section No.	Thickness (mm)	Weight kg/m
101017	1.50	0.714

DOORS AND DOOR FRAME


DOORS AND DOOR FRAMES






GLAZING CLIPS


GLAZING CLIPS




Section No.	Thickness	Weight Kg/M
101483	0.90	0.117




Section No.	Thickness (mm)	Weight kg/m
100019	0.41	0.061




Section No.	Thickness (mm)	Weight kg/m
100020	0.49	0.071



Section No.	Thickness (mm)	Weight kg/m
100021	0.53	0.078



Section No.	Thickness (mm)	Weight kg/m
101163	0.90	0.117





Section No.	Thickness (mm)	Weight kg/m
101161	1.20	0.182



DOOR CLOSURES

DOOR CLOSURES




Section No.

Weight kg/m

100235

1.978




Section No.

Weight kg/m

100234

1.993




Section No.

Weight kg/m

100230

2.058




Section No.

Weight kg/m

100226

2.180




Section No.

Weight kg/m

100228

2.385




Section No.

Weight kg/m

100233

2.452




Section No.

Weight kg/m

100227

2.503



Section No.

Weight kg/m


100236

2.923



DOOR CLOSURES

DOOR CLOSURES




Section No.

Weight kg/m

100235

1.978




Section No.

Weight kg/m

100223

2.433




Section No.

Weight kg/m

100225

2.514




Section No.

Weight kg/m

100224

2.535




Section No.

Weight kg/m

100231

3.135




Section No.

Weight kg/m

100222

3.197




Section No.

Weight kg/m

100220

3.219



Section No.



Weight kg/m

100221

3.219

DOOR CLOSURES

DOOR CLOSURES




Section No.	Weight kg/m
100232	3.376






LOUVERS PROFILES


LOUVERS




Section No.	Thickness (mm)	Weight kg/m
101150	1.20	0.478




Section No.	Thickness (mm)	Weight kg/m
101418	1.30	0.399




Section No.	Thickness (mm)	Weight kg/m
101164	1.40	0.555



Section No.	Thickness (mm)	Weight kg/m
101152	1.50	1.079



Section No.	Thickness (mm)	Weight kg/m
101151	1.70	1.867





Section No.	Thickness	Weight Kg/M
101508	2.00	1.182




KITCHEN PROFILES


KITCHEN PROFILE




Section No.	Thickness (mm)	Weight kg/m
101202	1.00	0.317




Section No.	Thickness (mm)	Weight kg/m
101203	1.00	0.377




Section No.	Thickness (mm)	Weight kg/m
101286	1.15	0.588



Section No.	Thickness (mm)	Weight kg/m
101287	1.15	0.442



Section No.	Thickness (mm)	Weight kg/m
101288	1.20	0.436



Section No.	Thickness (mm)	Weight kg/m
101289	1.20	0.337





RAILING PROFILES

RAILING

Section No.	Thickness (mm)	Weight kg/m
101590	4.44	5.284

Section No.	Thickness (mm)	Weight kg/m
101591	6.10	6.781

Section No.	Thickness (mm)	Weight kg/m
101592	As per Drawing	8.728

Section No.	Thickness (mm)	Weight kg/m
101521	As per Drawing	3.369







Section No.	Thickness (mm)	Weight kg/m
101522	As per Drawing	0.510

Section No.	Thickness (mm)	Weight kg/m
101523	1.50	0.868

Section No.	Thickness (mm)	Weight kg/m
101524	As per Drawing	5.520

FORMWORK PROFILES


FORMWORK SERIES






MISCELLANEOUS PROFILES


MISCELLANEOUS




Section No.	Thickness (mm)	Weight kg/m
121784	5.50	0.377




Section No.	Thickness (mm)	Weight kg/m
101573	1.50	0.965




Section No.	Thickness	Weight Kg/M
101416	1.90	0.729




Section No.	Thickness	Weight Kg/M
101417	1.90	0.371




Section No.	Thickness (mm)	Weight kg/m
101593	1.42	0.427



Section No.	Thickness (mm)	Weight kg/m
101597	2.54	1.637





Section No.	Thickness (mm)	Weight kg/m
101594	3.20	1.141




Section No.	Thickness (mm)	Weight kg/m
101596	3.30	1.231

MISCELLANEOUS PROFILES


MISCELLANEOUS




Section No.	Thickness (mm)	Weight kg/m
101595	3.50	1.128



Section No.	Thickness	Weight Kg/M
101485	1.90	0.729




Section No.	Thickness	Weight Kg/M
101486	1.90	0.371



Section No.	Thickness	Weight Kg/M
101496	3.50	9.969






OUR PRESENCE

Our operational footprint across India has been indicated on the map.



Regional Sales Offices	Warehouses	Plants
Headquarter	- Delhi - Faridabad	- Renukoot, Sonebharda, Uttar Pradesh
R & D Lab	- Ludhiana - Ahmedabad	- Alupuram, Kochi, Kerala
- HIC Taloja	- Bhiwandi - Bengaluru	- Kuppam, Andhra Pradesh
	- Hyderabad - Kolkata	- Silvassa, Dadra and Nagar Haveli
		- HAAL, Aurangabad

★ Fabrication Shop | ● Die Shop | ▲ Powder Coating | ● Billet Casting | ■ Anodizing



HINDALCO
EXTRUSIONS

HINDALCO INDUSTRIES LTD
21st Floor, One Unity Center
Tower 4, Near Prabhadevi Railway Station
Senapati Bapat Marg, Prabhadevi, Mumbai – 400013

Email: hindalco.extrusions@adityabirla.com
Website: www.hindalco.com